

L Number	Hits	Search Text	DB	Time stamp
11	12	("4211891" "5241598" "5369706" "5412721" "5420925" "5621799" "5727062" "5740249" "5748734" "5778069" "5802175" "6122379").PN.	USPAT	2004/08/25 12:27
12	8	(US-5974142-\$ or US-5412730-\$ or US-4613901-\$ or US-6694430-\$ or US-6209098-\$ or US-6018581-\$ or US-6522274-\$ or US-6628786-\$).did.	USPAT	2004/08/25 13:08
13	0	((US-5974142-\$ or US-5412730-\$ or US-4613901-\$ or US-6694430-\$ or US-6209098-\$ or US-6018581-\$ or US-6522274-\$ or US-6628786-\$).did.) and resin	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/25 13:08
14	0	((US-5974142-\$ or US-5412730-\$ or US-4613901-\$ or US-6694430-\$ or US-6209098-\$ or US-6018581-\$ or US-6522274-\$ or US-6628786-\$).did.) and resin) and integrated adj circuit same encryption and resin	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/25 13:09
15	4679876	@ad<20000327	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/25 13:09
16	6	@ad<20000327 and integrated adj circuit same encryption and resin	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/25 13:11
-	168	@ad<20000327 and 380/262.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/25 13:09
-	195	@ad<20000327 and encryption and select\$6 with algorithm and seed	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:14
-	181	(@ad<20000327 and encryption and select\$6 with algorithm and seed) and random	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:15
-	112	(@ad<20000327 and encryption and select\$6 with algorithm and seed) and random with generator	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:15
-	65	((@ad<20000327 and encryption and select\$6 with algorithm and seed) and random with generator) and buffer	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:15
-	156	@ad<20000327 and 380/239.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:27
-	718	@ad<20000327 and interface with device same encrypt\$6	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:28
-	180	(@ad<20000327 and interface with device same encrypt\$6) and signal with select\$3	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:28
-	21	(@ad<20000327 and interface with device same encrypt\$6) and signal with select\$3 with (algorithm pattern technique method)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:44
-	1	5,995,628.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:44
-	4	("4368357" "4987595" "5029206" "5365591").PN.	USPAT	2004/08/23 10:44
-	7	5995628.URPN.	USPAT	2004/08/23 10:44

-	90	(@ad<20000327 and 380/262.ccls.) and switch	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/23 10:49
-	4679876	@ad<20000327	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:21
-	5734	@ad<20000327 and (multiple several) near2 (algorithm generator)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:22
-	252	@ad<20000327 and (multiple several) near2 (algorithm generator) and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:28
-	21	@ad<20000327 and (multiple several) near2 (algorithm generator) with select\$3 and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:45
-	1	4,642,688.pn.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:31
-	4741	@ad<20000327 and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:46
-	358	@ad<20000327 and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key) and encryption	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:47
-	72	(@ad<20000327 and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key) and encryption) and seed	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:47
-	29	(@ad<20000327 and (interval time) with (change\$2 switch\$2) near2 (algorithm generator key) and encryption) and seed with encrypt\$2	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 09:47
-	4679876	@ad<20000327	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:39
-	108	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 15:06
-	117	@ad<20000327 and 380/33.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:14
-	73	@ad<20000327 and (integrated adj circuit IC) with communicat\$5 with encrypt\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:14
-	33	(@ad<20000327 and (integrated adj circuit IC) with communicat\$5 with encrypt\$5) and generator	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:14
-	45	(@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5) and generator	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:44
-	80	(@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5) and select\$4	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:43
-	5	("4352952" "5325430" "5623637" "5729680" "6167513").PN.	USPAT	2004/08/24 12:43

-	29	("4092524" "4271482" "4310720" "4467139" "4471216" "4544833" "4549075" "4638120" "4656342" "4656474" "4907270" "4907272" "4910774" "5068894" "5377264" "5396609" "5428685" "5473692" "5483596" "5530753" "5539828" "5559883" "5568552" "5596718" "5615263" "5796840" "5805706" "5805712" "5828753").PN.	USPAT	2004/08/24 12:43
-	38	((@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with encrypt\$5) and select\$4) and generator	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:44
-	117	@ad<20000327 and 380/33.ccls.	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:52
-	2	(@ad<20000327 and 380/33.ccls.) and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:53
-	2	(@ad<20000327 and 380/33.ccls.) and (integrated adj circuit IC) with (communicat\$5 transmit\$3)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 12:53
-	17	(@ad<20000327 and 380/33.ccls.) and (integrated adj circuit IC ASIC)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:00
-	0	(@ad<20000327 and 380/33.ccls.) and (integrated adj circuit IC ASIC) with ports with (transmit\$2 send\$2 communicat\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:40
-	709	@ad<20000327 and (integrated adj circuit IC ASIC) with ports with (transmit\$2 send\$2 communicat\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:01
-	2587	@ad<20000327 and (integrated adj circuit IC ASIC) with (ports channel line) with (transmit\$2 send\$2 communicat\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:01
-	21	@ad<20000327 and (integrated adj circuit IC ASIC) with (ports channel line) with (transmit\$2 send\$2 communicat\$6) same encrypt\$5	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:03
-	6	6209098.URPN.	USPAT	2004/08/24 15:06
-	60	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:40
-	76	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:43
-	36	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (random\$6 vary\$5 chang\$6 configur\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:42
-	34	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (random\$6 vary\$5 chang\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:45
-	24	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (configur\$6 vary\$5 chang\$6)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:51
-	1	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (configur\$6 vary\$5 chang\$6) near3 (channel port)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 13:46

-	48	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) same encrypt\$5 and clock same data same (control)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:11
-	0	@ad<20000327 and 710/108.ccls. and 380/\$.ccls.	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:12
-	2	@ad<20000327 and 710/108.ccls. and encryption	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:13
-	347	@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) and configur\$5 with port with (signal message control)	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:49
-	35	(@ad<20000327 and (integrated adj circuit IC ASIC) with (communicat\$5 transmit\$3) and configur\$5 with port with (signal message control)) and encryption	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 14:45
-	232	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 15:10
-	2	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and seed	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 15:09
-	219	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and signal	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 15:11
-	178	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and signal with (integrated adj circuit IC)	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/24 15:17
-	93	@ad<20000327 and (integrated adj circuit IC) with (communicat\$5 transmit\$3) with (input output transmit receive send) with configur\$5 and signal with (integrated adj circuit IC) and interface with (integrated adj circuit IC)	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/24 15:18
-	3	("4974181" "5172116" "5291197").PN.	USPAT	2004/08/25 09:53
-	1	6522274.URPN.	USPAT	2004/08/25 09:53
-	296	@ad<20000327 and random adj number adj generator and noise and seed	USPAT; US-PGPUB; EPO; IBM_TDB	2004/08/25 10:16
-	25	@ad<20000327 and random adj number adj generator and noise and seed with (shared common)	USPÄT; US-PGPUB; EPO; IBM_TDB	2004/08/25 10:17
-	22	5778069.URPN.	USPÄT	2004/08/25 10:20
-	0	6044388.URPN.	USPAT	2004/08/25 10:29
-	0	6044388.URPN.	USPAT	2004/08/25 10:29

BEST AVAILABLE COPY